

## Curriculum Vitae

Name: Thomas Boor

Education: electrical engineering studies  
education as business programmer

Methods: Objektorientierte Analyse und Design mit UML  
und Coad & Yourdon,  
Strukturierte Analyse und Design, ISOTEC,  
Datenbankdesign (ER-Modellierung) und  
-Normalisierung

Hardware: IBM DataBlades, Sun Fire, Sun Netra, SNI RM- & MX-Serie,  
IBM RS/6000, SUN SPARCstations  
NIXDORF TARGON /35, IBM /370, PCs

Operatiungsystems: AIX (bis 6.1), Sun-Solaris 10, Linux (Ubuntu., SuSe. Arch-  
Linux, Mint),  
SINIX SVR4 (bis Rel. V.4.3), UNIX SVR3, DG-UX 5.4,  
SCO-UNIX 3.2, SunOs 5.4,  
MS-DOS/WINDOWS, VM/SP, MVS/ESA

Programming-Languages: C++ up to v14, C, Python (2. & 3.), C#

Networks: TCP-UDP/IP, BSD-Sockets, ONC-RPCs, RMI/JNDI, CMX

Protokolls: SIP, SDP, RTP, RTCP, Radius, SNMP, http, Soap

DB-Systems: REDIS v5, DB2V9-Vista, Informix Online bis 10.0, Oracle  
7.3, Postgres, mySQL, ddb4, CICS, VSAM, MS-SQLServer,  
MS-Access

Development-Tools: PyCharm, Eclipse-SDK, Sun-Forte-IDE, Together, Rational  
dia (UML-Tool) div. UNIX-Shells & tools  
scons, git, gerrit, jenkins, redmine, confluence/draw-io  
omniORB, omniORBpy

Publications: PolarPlot - Plotten von Funktionen in Polarkoordinaten  
mit Sharp PC-1500/CE-150  
Würzburg, 1987 (Vogel-Verlag, NE: T.Eikenkötter)

vi-Referenzhandbuch -  
Das Lehr- und Nachschlagewerk zum  
UNIX-Standardeditor  
München, 1996 (Verlag Prentice Hall, NE:  
Hutter/Pribas)

## Executive Summary

(projects related to customers)

Duration	Client	Alt. customer(s)	Doing
06.2021 – 12.2022	IBM Frankfurt	DTAG	Support on Deployment & Operations
06.2020 – 06.2021	RM Electronics		SW-Development C++
06.2006 – 02.2020	IBM NGN CC	DTAG, TSI, terravoice, IBM	SW-Design a. - development in C++, C, Python, Teamlead
05.2004 – 09.2006	Ticketcorner		SW-Design a. Development in C++, Python
04.2002 – 03.2004	Qivive		SW-Design a. Development in C++
09.2000 – 03.2002	START-Informatik		SW-Design a. Development in C++
10.1998 – 08.2000	START-Ticket		SW-Design a. Development in C++ QS f. SW-department
01.1998 – 09.1998	IBM Frankfurt	otelo	Regressiontest
02.1992 - 12.1997	START-Ticket		SW-Design a. Development in C++

Small projects done in parallel are not listed

## Detailed list of projects

(in reverse chronological order)

### Support on Deployment and Operations of a nationwide ip-platform

Duration	06/2021 - 12/2022
Trade	<b>Telecommunication</b>
Role	<b>Consulter &amp; Operator</b>
Customer	<b>DTAG / IBM</b>
Task(s)	Support on DevOps-based Deployment-Toolchain, developing ansible-playbooks for automatic validation of deployment-results. Python-Scripts for nationwide n:m Connection-Tests. Training of advanced usage of the git-versioning-system. Consulting for Canary-Deployment. Writing of Wiki-Documentation to all tasks incl. graphics.
Methods	scrum
Programming-Language	Python 3, bash, ansible, Jinja2
OS	Suse-Linux
IDEs	MS VisualStudio, ansible-tower
Tools	git, gitk, gitlab, ansible-tower, artifactory, Vault, BIG-IP F5. jira, gerrit, confluence, guard, topedia, OpenOffice. CheckMK, Kibana, anritsu
Etc.	Webex, Slack

## **Software-Development of driving simulation systems**

Duration	06/2020 - 06/2021
Trade	<b>Simulation-Systems</b>
Role	<b>Developer</b>
Customer	<b>RM Electronics</b>
Task(s)	Development of Software-Components for large Driving-Simulation-Systems controlling Bosch-Rexrodt-Motion-Systems, Dell 180° Monitoren, force-feedback seats & wheels - Driver f. Logitech-Wheel 920 - Gateway-Prozess to convert UDP-Sensordata to SHMs - Codegenerator for fragments according to Device-List - Logik-Process to maintain vehicle's state.
Programming-Language(s)	C++ V11
Operating-System(s)	Suse-Linux, CentOS, Azure-Linux, Ubuntu
IDEs	PyCharm, Eclipse
Tools	SonarQube, gitlab, git, gitk scheme, tk, jira, gerrit, confluence, draw-io
Etc.	webex, mattermost

**IoT-Monitoring and Control system for autonomuious energy solutions (solar & wind)  
project in parallel**

Duration	01/2019 - 03/2020
Trade	<b>Energy</b>
Role	<b>Designer / Developer</b>
Customer	<b>thovid.com</b>
Task(s)	<p>Concept and implementation of a raspberry-bases monitoring systems for PV and wind-energy systems.</p> <p>Collecting data from a AD-Controllor to measure analogue values (Volts/Amps) and a hall-sensor to measure the RPMs of a windturbine to send it as Json-object to the DCA.</p> <p>In addition, the data of a nearby weatherstation is retrieved via WiFi-http.</p> <p>The data is stored continuosly in a REDIS database.</p> <p>All the data collected is displayed on a HTML-5 website using google-gauges.</p> <p>The envertec injector is controlled by the DCA to limit the outpoing power to 600W,</p>
Programming-Language(s)	python 3
Operating-System(s)	Debian-Linux, Ubuntu-Linux
IDEs	PyCharm, Atom
Tools	Git, gitk, git-gui, confluence, draw-io
Etc.	REDIS, google-developer-tools

## **CI/CD (Continuous Integration / Continuous Deployment)**

Duration	11/2019 - 02/2020
Trade	<b>Telekommunikations</b>
Role	<b>Developer</b>
Customer	<b>IBM Frankfurt</b>
Task(s)	Writing of ansible-playbooks and ressource-files to deploy application o an internet-access-platforms to a farm of virtual systems managed by kubernetes. Applications to be deployed fetched per REST form an artifactory-instance.
Methods	scrum
Programming-Language(s)	Ansible, python 3
Operating-System(s)	Suse-Linux, CentOS, Azure-Linux, Ubuntu
IDEs	Eclipse, PyCharme, Atom
Tools	Gitlab, ansible, ansible-Tower, jfrog Artifactory, checkmk, Kubernetes, curl Slack, The Box, git, gitk, gitlab jira, Gerrit, Confluence, Draw.io
Etc.	webex, slack

## **Redesign / rewriting of an Accounting-Transfer-Service**

Duration	07/2019 - 10/2019
Trade	<b>Telekommunikations</b>
Role	<b>Developer</b>
Customer	<b>IBM NGN CC</b>
Task(s)	Developing of an accounting gateway feaded by REDIS- and UDP Sources, dispatching to remote systems via UDP or filebased storage. REDIS-Client and -Server written in C, IPC via shared memory and REDIS. Testsystem as REDIS and UDP source or target written in python 3.6
Methods	UML
Programming-Language(s)	C, python
Operating-System(s)	Suse-Linux, ubuntu
Tools	umbrella, plantuml, redis-5.0.2
Sonstiges	

## **Systemtest of a cf-engine based Deploy-Tools on a VM-Farm**

Duration	05/2019 - 07/2019
Trade	<b>Telekommunikations</b>
Role	<b>Developer</b>
Customer	<b>IBM NGN CC</b>
Task(s)	Deployment of a number of applications developed at the NGNCC of the IBM on a VM-cluster. Writing of installation guides using confluence and drawio Defect tracking with cq-web. Writing of python scripts to easy multiple execution of similar steps and to verify the deployment.
Methods	
Programming-Language(s)	Python 2.7
Operating-System(s)	Suse-Linux
Tools	confluence, cq-web
etc.	cf-engine

## **Extension of an Accounting-Gateways by daily statistics stored in SHM and DB**

Duration	10/2018 - 04/2019
Trade	<b>Telekommunikations</b>
Role	<b>Developer</b>
Customer	<b>IBM NGN CC</b>
Tasks	Extension of an existing accounting gateway by daily statistics stored up to 1 month in a database or up to 7 days in the shared memory. A C++-program generates CSV-files on demand containing the data of the last 31 days. Testsuite in python to generate data for severla days and py-scripts to verify the day-specific counting.
Methods	UML
Programming-Language(s)	C, C++ Version 11, python 2.7
Operating-System(s)	Suse-Linux
Tools	umbrella, plantuml, confluence, cq-web
etc.	Scrum

## Design and Implementation of a generic SNMP-Requestor

Duration	06/2018 - 09/2018
Trade	<b>Telecommunication</b>
Role	<b>Developer</b>
Customer	<b>IBM NGN CC</b>
Task(s)	<p>Tool, to read via bulkwalk partial SNMP-trees and have an abstraction-layer with tables, rows and scalars on that data.</p> <p>Der Customer can use the API of the tool in self written templates to have a look according to own requirements with no software-changes needed.</p> <p>Mass-operators, lambda functions and arithmetic basics for tables-data.</p> <p>Program documentation with pydoc, Users manual with confluence and draw-io.</p>
Methods	UML
Programming-Language(s)	Python 2.7
Operating-System(s)	Suse-Linux
Tools	umbrella, plantuml, confluence, draw-io, cq-web
/etc	Scrum



## **Extension of a CallLimitingServers with Call-Attempt Limit**

Duration	03/2018 - 06/2018
Trade	<b>Telecommunication</b>
Role	<b>Developer</b>
Customer	<b>IBM NGN CC</b>
Task(s)	<p>Extension of a Call-Limiting-Servers by callrate-limiting. So, the number of established calls of a principal can be limited to the ordered number.</p> <p>Design-Documentation with UML-V2, Interface-Design documented with AsciiDoc, coding using C++ V14.</p> <p>Regression test suite to check reliabiliy and memory usage on massiv call requests of lots of users in parallel.</p>
Methods	UML
Programming-Language(s)	C++
Operating-System(s)	Suse-Linux, ubuntu
Tools	umbrella, plantuml
/etc	

## **Accounting-Gateway for Telecom-Provider, project in parallel**

Duration	03/2018 - 09/2018
Trade	<b>Telecommunication</b>
Role	<b>Entwickler (LeadDeveloper)</b>
Customer	<b>IBM NGN CC</b>
Task(s)	<p>Extension of an existing accounting-gateway by multicasts controlled by configuration. So, dependend on the content, accounting pakets are sent to several backend-systems via UDP (usual for RADIUS-protocol). Async-response-handling via epoll.</p>
Methods	UML
Programming-Language(s)	C, C++, python, perl,
Operating-System(s)	Suse-Linux, ubuntu, omvs
Tools	umbrella, plantuml, mq-series, db2
/etc	



## **Access-Platform for Telecom-Provider**

Duration	04/2017 - 03/2018
Trade	<b>Telecommunication</b>
Role	<b>Developer</b>
Customer	<b>IBM NGN CC</b>
Task(s)	<p>Refactorierung of an Online-Provisioning-Solution of an Access-Platform with IP- und QOS-settings for ip accessors.</p> <p>Integration of different input sources, like XML-file, MQ-Series-Requests or udp-requests.</p> <p>Using IBM-DB2 and IBM-MQ-Series in C++, Version 11, different UNIX-Systems and Open-MVS.</p> <p>New Outlet of provisioned principals via XML/SPML to store data at a LDAP-Database (Nokia C-NTDB).</p>
Methods	UML
Programming-Language(s)	C++,
Operating-System(s)	Suse-Linux, ubuntu, omvs
Tools	Git, umbrella, gerrit, jenkins, mq-series, db2
/etc	scrum

## Business-Telephone-Platform for SIP-Trunks and PBXe

Duration 10/2016 - 03/2017

Trade Telecommunication

Role Developer

Customer IBM IP-Factory

Task(s) **Distributed Build-, Distributions- und Testsystem**

python tool to establish a distributed deploy- and Test-System auf linux-Rechnern inkl. verschiedenen, virtuellen Systemen (docker, lxc, virtual-box, vm-ware).

Integration of scons, git, gerrit und jenkins in den workflow.  
Configuration of load-sets per json files.

Visualising progress with generated websites, using flask und ajax.

Componententest with CORBA-Environment (omniorb for python),  
to control all parts of a test suite from a single, local control-file.

### **Re-engineering of an account-spoolers**

Refactoring an existant account-spooler, sending RADIUS-Pakets  
with UDP from spool-files of different clients.

Housekeeping of respondeed or timed-out requests.

Integration of a snmp-Interfaces to establish Remote-control.  
Adjustements in code to meet C++-Version 11

Methods UML

Programming-  
Language(s) C++, python

Operating-System(s) Suse-Linux, ubuntu

Tools umbrella, gerrit, jenkins, confluence/draw-io, redmine

/etc

## **IOT (Internet of things)**

Duration	10/2015 – 09/2016
Trade	<b>Environment</b>
Role	<b>Architect of development, Team with 3 developers</b>
Customer	<b>Kontip GmbH</b>
Task(s)	<p>Integration of a SIP-Stack within the Bridge, development of an Applicatzion-Server-Proxy which delegates all messages decoded by the Stack to the IOTF and proceeds the message flow with the response from the IOTF.</p> <p>So, sensors and actors connected via a SIP-Gateway (e.g. an Internet-Router) can be handled, too (beside Art/LORA messages).</p> <p>Software-Design with UML, Development in C++ under Linux of an application-server for the "internet of things", acting as a bridge between the LORA-Network-Server – talking JSON via Websockets – and the IBM-IOT-Foundation (BlueMix), talking REST and MQTT.</p> <p>Designed for some 100000 Devices acting as Sensors and/or as actors.</p> <p>Multithreaded-Solution.</p> <p>Software-Design with UML, Development in C++ under Linux of an application-server for the "internet of things", where up to 100.000 sensors/actors are connected to via gateways (fritzbox, raspberry, LORA-wireless net) and can be monitored via SIP-SUBSCRIBE oder controlled via SIP-MESSAGE by an arbitrary number of clients.</p> <p>Communication with sensores/actors encoded in JSON, communication with monitoring clients using XML-Bodies in SIP-NOTIFYs.</p> <p>Multithreaded-Solution.</p>
Methods	UML
Programminglanguage(s)	C++
OS	Suse-Linux, ubuntu
Tools	umbrella, gerrit, jenkins, confluence/draw-io
/etc	

## Telephone-Provider-Platform for SIP-Trunks and PBXs

Duration	08/2014 - 09/2015
Trade	Telecommunication
Role	Developer
Customer	terravoice.eu, managed by KONTIP / TSI GmbH managed by IBM
Task(s)	<p><b>Application Function for the feature ClosedUserGroup (CUG)</b></p> <p>Internal Application-Function to realize the "Closed User Group"-feature in a SIP-Telephone-Provider-Plattform.</p> <p>Parse MultiPart-Bodies i XML-Format, evaluate content and check against configured values to result to an acceptance or a decline</p> <p><b>Enable DS-Field-Support (QoS) in some Communications-Libraries</b></p> <p>Enabled setting of DSCP/TOS once on newly created communication-connections or as</p> <p>Ancillary-Data for Per-Paket-Qos, with IPv4 and IPv6. For ancillary-Data detection code on receiver-side (IPV6_RECVTCLASS, IP_RECVTOS) by parsing the cmsghdr.</p> <p>Applied libraries for TCP, UDP, Radius, Diameter, http, MGCP</p> <p><b>Re-writing of a phone-number-porting-server for up to 200 millions of numbers</b></p> <p>Re-Design and re-development of a porting-server, which was based on DB/2 before.</p> <p>Because of the huge number of entries to be managed and the required performance-boost a BigData-solution (totally InMemory instead of a rel. DB) was choosen.</p> <p>Servers are cascaded in a tree to act as a cloud.</p> <p>Functional and regression-tests written also in C++, part. using the boost-library</p>
Methods	UML
Programming-Language(s)	C++
Operating-System(s)	Linux
Protocols	Diameter, SIP, RTP, SDP, protobuf, TCP/UDP
Tools	Git, Confluence, phabricator, ClearQuest, umbrella, gerit, jenkins
/etc	

## **Design, Implementaion and maintenance for a MRF (Media-Ressource-Function)**

Duration 10/2009 – 03/2011 and 03/2012 – 07/2014  
Trade Telecommunication  
Role AD (Architect of development) mit 4 Entwicklern

Customer IBM NGN Center of Competence / terravoice.eu

### **Task(s) Design and Implementation of an IMS-Media-Ressource-Function (MRS)**

IMS-conformant MRF to stream audio- and video-assets, Detection of DTMF-Events, Evaluating incoming RTCP-Responses and to Proxy voice-Rtp-data to an Voice-Recognituion-System (IVR).

Beside streaming single streams to single receivers, the MRF can stream to multiple receivers like a video-installation with an array of screens.

Assets to stream can be read at once or partially on demand. With a tool all the assets ar deployed to all instances of the MRS.

Multiplexing of Live-Streams with a ringbuffer as Asset-Quelle. According to the IMS-Modell the MRF is realizes as a Controller and a process, which act in n:m-relation.

Jobs-submitting per SIP-INVITE or via library-Funktion. Multithreading-Solution..

### **Rework of an existing MRF with lots of new features**

- } IPv4 & IPv6 Streams from one application process
- } dynamic memory management for local media files
- } Proxiing Unicast-Live-Streams
- } IGMP-Multicast-joins to proxy T-Home-Entertain-Media as Unicasts
- } Writing of RADIUS-Accounting Packets
- } Handling of Pinhole-Requests, to open Firewall-Connection (local IP/Port and remote IP/Port)
- } Test-Website using web rtc, ajax, javascript and Java-applet to send a pinhole request from users machine
- } DSCP (Differentiated services code point) settings per configuration to fulfill QoS requirements.

### **Design and Development of a dynamic memory Management for the MRS**

For the new Media-Resource-Server (MRS) a dynamic Memory-Management has been requested, to minimize the ressource at partial access for any asset for multiple users.

Slice-oriented read-aheads, advising assumed next requested areas via posix\_fadvise, to have the data in parallel read into the disk-cache to make the next read seamless.

Methods UML  
Programming-Language(s) C++, python

Operating-System(s)	Ubuntu-Linux, SuSe-Linux, IBM-AIX
Tools	Git, scons, OpenOffice, asciidoc, doxygen, ClearQuest/Case, gstreamer, vlc
Protocols	SIP, RTP, SDP, TCP/UDP
/etc	



## Launch of an Onlineshop for a Bicycle-Store

Duration	08/2013 – 09/2013, project in parallel
Trade	<b>Retail</b>
Role	<b>Designer and Developer</b>
Customer	<b>Radhaus Bürgstadt</b>
Task(s)	Evaluation of some free CMS. Final decisions to use <i>Shoppingcart</i> (opensolution.org). Translation (from en to de), Code-maintaining, versioning. New Graphic-themes, Payment-Types, Administration-Tool and more. Editing of Diashows for retailers youtube-channel.
Methods	
Programming-Language(s)	php
Operating-System(s)	Ubuntu-Linux, MS-Windows-7
Tools	shoppingcart, gimp, Typo-3
/etc	Google+, youtube and facebook-Presentation for the dealer.

## Internet-Access-Plattform

Duration 01/2013 - 09/2013

Trade Telecommunication

Role Entwickler

Customer IBM Deutschland GmbH

### Task(s) **Evaluation of nested Virtualization using vmware hypervisor ESXi and Platform-Deployment**

Evaluation of vmware-Hypervisors (ESXi-5.0 and 5.1) to check their ability to run nested.

The reason for nesting: to deploy a complex platform with n-locations and m-hosts on one physical machine to reduce hardware expenses.

Branches of the nesting tree:

ESXi-5.0 -> ESXi-5.1 -> VM(with SuSe-sless11/64)

ESXi-5.0 -> ESXi-5.0 -> VM(with SuSe-sless11/64)

ESXi-5.1 -> ESXi-5.0 -> VM(with SuSe-sless11/64)

Deployment of applications on the Vms at the leafs.

### **Extension of Application-Monitoring for a distributed Internet-Access-Plattform**

Design and development of monitoring components for new applications and hosts of the platform.

Central components interacting with TIVOLI-NETVIEW (for graphical presentation of the platform-status) written in C and Rexx, running under IBM z/OS. Remote components written in perl, running under z/OS, zOS-UNIX, zLinux, AIX and SuSe-Linux, which invoke snmp-commands to retrieve MIB-OIDs or which invoke requests of the monitored applications to measure availability, runtime & latency and failure rates.

Definition of new Views and groups in TIVOLI for the new monitoring-components.

Methods

Programming-Language(s) C, Rexx, perl

Operating-System(s) vmware ESXi, SuSe-sles11, AIX, z/OS-UNIX,

Tools ClearCase, git, IBM IMM

/etc